Standard Form Number: SF-GOODS Revised on: May 24, 2004

Republic of the Philippines University of the Philippines Mindanao

Mintal, Tugbok District, Davao City

Date: 22 April 2022

BID BULLETIN NO. 01

Supply of Equipment for the Automated Labeling Machine-large Scale Initiative Project (ALAM-LSI) PBM 2022-02

This Bid Bulletin is issued for the following:

- 1. Revisions in the <u>TECHNICAL SPECIFICATIONS</u>
 - Please refer to the attached Revised Technical Specifications.
- 2. Revisions in the **Price Schedule**.

Please refer to the attached Revised Price Schedules.

For guidance of all concerned.

PROF. CLETO L. NAÑOLA JR.

Chair, Bids and Awards Committee for Goods

Received by the bidder:

Signature over printed name/date received

Technical Specifications

Item	Specification	Statement of Compliance
	General terms for all lots	[Bidders must state here either "Comply" or "Not Comply"
	For Equipment:	against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply"
	1) The equipment must come from a credible manufacturer with support through a distributor in the country; and 2) The equipment must be brand new and unused.	or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false
		either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Item		Specification	Statement of Compliance						
LOT 1	or 1: SIXTEEN UNITS WORKSTATIONS (16 UNITS) ABC: Php 4,800,000.00 elivery period: Thirty (30) to sixty (60) calendar days elivery and Installation: CARIM Bldg., UP Mindanao, Mintal, Tugbok District, Davao City								
			Davao City						
		·	ABC: Php 4,800,000.00						
	Techni	•							
	•	Operating System: Windows 10 Pro 64 bit							
	•	Processor: Intel Core i9 / Intel Xeon or equivalent							
	•	Graphics: 2 x reputable-brand GPU with at least 8GB DDR6 RAM							
		w/ Tensor Processing (e.g, NVIDIA)							
	•	Display: 24-27" dual screen configuration, tilt pivot swivel height							
		adjustable (preferably dual arm) or better, LED edge light, IPS							
DESKTOP WORKSTATIONS (16 UNITS) Technical Specifications: Operating System: Windows 10 Pro 64 bit Processor: Intel Core i9 / Intel Xeon or equivalent Graphics: 2 x reputable-brand GPU with at least 8GB DDR6 RAM w/ Tensor Processing (e.g, NVIDIA) Display: 24-27" dual screen configuration, tilt pivot swivel height adjustable (preferably dual arm) or better, LED edge light, IPS FHD at least 1920 x 1080 120Hz, anti-flicker Memory: at least 128GB RAM Storage: at least 2TB SSD + 4TB HDD									
	•	Memory: at least 128GB RAM							
	•	Storage: at least 2TB SSD + 4TB HDD							
	•	Connectivity: Ethernet and Wi-Fi							
	•	Power Supply: at least 1500 Watts (gold)							

	ons:	
a.	UPS (at least 1500VA)	
b.	Accessories: ergonomic USB noiseless optical mouse w/	
	mousepad (at least 2-button w/ scroll), ergonomic USB noiseless	
	keyboard (preferably mechanical), Headset (w/ mic)	
c.	At least 1 year warranty	
CIV II	NITS MOBILE WORKSTATIONS (6 UNITS) ABC:	Db = 4 050 000 0
SIX U	VITS WORKSTATIONS (6 UNITS) ABC	: Php 1,050,000.0
	: Thirty (30) to sixty (60) calendar days	
y and Ir	stallation: CARIM Bldg., UP Mindanao, Mintal, Tugbok District, D	Pavao City
		Php 1,050,000.00
Techn	cal Specifications:	
•	Operating System: Windows 10 Pro 64 bit	
•		
•	Graphics: reputable-brand GPU with at least 8GB DDR6X RAM w/	
	Tensor Processing (e.g, NVIDIA)	
•	Display: at least 15.60" 1920 x 1080 120Hz	
•		
•	Storage: at least 2TB SSD	
Inclusi	ons:	
a	Accessories: Bag, Kensington lock, wireless noiseless optical	
	mouse (at least 2-button with scroll) w/ mousepad, Headset (w/	
	mic)	
b.	At least 1 year warranty	
~ .	The least 1 year warranty	
SEVE y period y and Ir	: Thirty (30) to sixty (60) calendar days stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da FOP COMPUTERS (7 UNITS) ABC: Php 840,000	•
SEVE y period y and Ir	: Thirty (30) to sixty (60) calendar days stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da	avao City
y period y and Ir DESK	: Thirty (30) to sixty (60) calendar days stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da FOP COMPUTERS (7 UNITS) ABC: Php 840,000	avao City
y period y and Ir DESK	E: Thirty (30) to sixty (60) calendar days Stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da FOP COMPUTERS (7 UNITS) Sktop Computers (3 units)	avao City
y period y and Ir DESK DESK	: Thirty (30) to sixty (60) calendar days stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da FOP COMPUTERS (7 UNITS) sktop Computers (3 units) Cal Specifications:	avao City
y period y and Ir DESK • De Techn	: Thirty (30) to sixty (60) calendar days stallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da FOP COMPUTERS (7 UNITS) sktop Computers (3 units) Cal Specifications: Operating System: Windows 10 Pro 64-bit	avao City
y period y and Ir DESK • De Techn	I: Thirty (30) to sixty (60) calendar days Istallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District,	avao City
y period y and Ir DESK DESK Techn	E: Thirty (30) to sixty (60) calendar days Istallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Day TOP COMPUTERS (7 UNITS) Sktop Computers (3 units) Cal Specifications: Operating System: Windows 10 Pro 64-bit Processor: AMD Ryzen 5 or Intel Core i5 with integrated graphics or equivalent Display: 24" IPS LED FHD at least 1920 x 1080 60/120Hz or	avao City
y period y and Ir DESK DESK Techn	I: Thirty (30) to sixty (60) calendar days Istallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District,	avao City
y period y and Ir DESK • De Techn	E: Thirty (30) to sixty (60) calendar days Istallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Distallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Distallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Distallation: OP COMPUTERS (7 UNITS) ABC: Php 840,000 Sktop Computers (3 units) Cal Specifications: Operating System: Windows 10 Pro 64-bit Processor: AMD Ryzen 5 or Intel Core i5 with integrated graphics or equivalent Display: 24" IPS LED FHD at least 1920 x 1080 60/120Hz or bigger, anti-flicker Memory: at least 16GB RAM	avao City
y period y and Ir DESK DESK Techn	I: Thirty (30) to sixty (60) calendar days Istallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District,	avao City

	Inclusi	ons	
	a.	UPS (at least 800VA)	
	b.	Office Suite	
	C.	Accessories: USB noiseless optical 2-button mouse w/	
		mousepad, USB keyboard, Headset (w/ mic)	
	d.	At least 1 year warranty	
	• De	esktop Computers (4 units)	
	Techn	ical Specifications:	
	•	Operating System: Windows 10 Pro 64-bit	
	•	Processor: AMD Ryzen 7 or Intel Core i7 or equivalent	
	•	Graphics: Reputable-brand GPU with at least 6GB RAM (e.g., Nvidia / AMD)	
	•	Display: 24" IPS LED FHD at least 1920 x 1080 60/120Hz or	
		bigger, anti-flicker	
	•	Memory: at least 32GB RAM	
	•		
	•	Connectivity: Ethernet and Wi-Fi	
	•	Power Supply: at least 850 Watts (preferably gold)	
	Inclusi	ions:	
	•	UPS (at least 1000VA)	
	•	Office Suite	
	•	Accessories: USB noiseless optical 2-button mouse w/	
		mousepad, USB keyboard, Headset (w/ mic)	
	•	At least 1 year warranty	
ABC: I	Php 350 ry period	(1) LOT: SECURITY SYSTEM (CCTV, BIOMETRIC LOCKS, 0,000.00 d: Thirty (30) to sixty (60) calendar days nstallation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da	
	1.)	SECURITY SYSTEM (CCTV, BIOMETRIC LOCKS, ETC.)	
		ical Specifications:	
	• Or	ne (1) Unit Network Video Recorder 16ch (NVR)	
	*	Audio/Video Inputs/Outputs: 16 ch up to 8 MP Resolution	
		Recording Resolutions: 8 MP, 6 MP, 5 MP, 4 MP, 3 MP, 1080p, UXGA, 720p, VGA	
	*	Synchronous Playback: 16-Channel	
	*	отприменения в применения в при	
	*	Bandwidth: Incoming: 160 Mb/s Outgoing: 80 Mb/s	
	*	Protocols: TCP/IP, DHCP, Hik-Connect	
	*	Network Interface:1 x RJ45 1000M Self-Adaptive Ethernet	
	*	USB Interface: 2 x USB 2.0	
	• Or	ne (1) Unit POE Switch 16 port	

• Te	n (10) Units IP Vandal Dome Indoor Cameras	
*	At least 90° viewing angle	
*		
*	Mount Type: Wall, In-ceiling mount	
*	Support video Compression: H.264, MPEG4, MJPEG	
*	Network Properties: Interface: 1 RJ45 10M / 100M ethernet port and 1 RS-485 interface	
*	Network Protocols: TCP/IP, HTTP, DHCP, DNS, DDNS, RTP, RTSP, PPPoE	
*	Image Frame Rate: 30 fps / 25 fps	
• Six	(6) Units IP Bullet Outdoor Cameras	
	At least 90° viewing angle	
*	Sensor at least 2 MP 1/2.5" CMOS Focal Length: 2.8mm	
*	Supported Video Compression: H.264, H.264+, H.265, H.265+, MJPEG Multi-View	
*	Analytics: Motion Detection Line Crossing Detection	
*	Intrusion Detection Exception Detection	
	IP Rating: IP67	
	45 Connectors, UTP Cable CAT 6, Cables, and Related ring/Conduit Materials, Assemblies, and Equipment	
	Intrusion Detection Exception Detection	
Inclusi	ion: With at least 1 year warranty	
	OMETRIC SYSTEM ATTENDANCE AND MAGNETIC DOOR LOCK ions	
Inclusi • BIC	OMETRIC SYSTEM ATTENDANCE (TCP/IP)	
Inclusi	ions OMETRIC SYSTEM ATTENDANCE (TCP/IP) Fingerprint Capacity 3,000	
Inclusi	ions OMETRIC SYSTEM ATTENDANCE (TCP/IP) Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional)	
Inclusi	ions OMETRIC SYSTEM ATTENDANCE (TCP/IP) Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000	
Inclusi BIC	ions OMETRIC SYSTEM ATTENDANCE (TCP/IP) Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional)	
Inclusi BIC Standa	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9	
Inclusi Blook Standa	Communication TCP/IP, USB-Host, Wi-Fi (Optional) Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User	
Inclusi Blook Standa	Communication TCP/IP, USB-Host, Wi-Fi (Optional) Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User OMETRIC SYSTEM ATTENDANCE (TCP/IP) 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User	
Inclusi BIC Standa Standa	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer	
Inclusi Blook Standa Standa	Communication TCP/IP, USB-Host, Wi-Fi (Optional) Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell, SMS, RS232 Printer AC module 1:Exit Button, Door Lock, Alarm, 12V OUT, AUX IN	
Inclusi BIC Standa Standa	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN,	
Inclusi BIO Standa Standa Standa	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485	
Inclusi BIC Standa Standa Standa Standa	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT.	
Inclusi BIO Standa Standa MAGN	DMETRIC SYSTEM ATTENDANCE (TCP/IP) Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK	
Inclusi BIC Standa Standa MAGN Inclusi	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK	
Inclusi BIO Standa Standa MAGN	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK IOS	
Inclusi BIO Standa Standa MAGN Inclusi	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK	
Inclusi BIO Standa Standa MAGN Inclusi	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK IONS IC Card at least 30 IC cards 3 Magnetic Door Locks - 1 IC card for lock 1	
Inclusi BIO Standa Standa MAGN Inclusi	Fingerprint Capacity 3,000 Card Capacity 10,000 (Optional) Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) ard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. ETIC DOOR LOCK IONS IC Card at least 30 IC cards 3 Magnetic Door Locks	

	& Dower cumby	
	Power supply With at least 4 year warranty	
LOTE	♦ With at least 1 year warranty ONE (1) LOT: PROJECTOR ABC: Php 60,000.00	
	y period: Thirty (30) to sixty (60) calendar days	
	y and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok Dist	rict, Davao City
	Technical Specifications:	
	White Light Output (Normal/Eco): 4,000 lm	
	Colour Light Output: 4,000 lm	
	Digital Input: HDMI: 2	
	 Resolutions: FullHD WXGA Resolution 	
	Contrast Ratio: 16,000:1	
	Features: Screen Mirroring Quick Corner	
	• Laser / Lamp: 12,000 Hrs lamp life	
	Aspect Ratio: 16:9	
	Inclusions:	
	With tripod and white screen	
	At least one year warranty	
OT 6	<u> </u>	ABC: Php 150,000.00
	Technical Specifications: ■ Type: Digital Single-lens Reflex (DSLR)	
	Sensor: Full frame	
	Lens Kit: 18-55mm f/4-5.6 with Lens Stabilization	
	Wide-angle Lens: 10-18mm f/4.5-5.6 or better	
	Macro Lens: 100mm f/2.8 with Lens Stabilization	
	Photo: at least 24.1 megapixel or higher	
	Video: 1080p resolution or higher	
	Continuous Shooting: at least 5 fps	
	• ISO range: 100 - 25600 or higher	
	Display: inbuilt liquid crystal display (LCD) touchscreen	
	Storage: SD, SDHC, SDXC (UHS Speed Class 1 compatible)	
	Inclusions:	
	Inbuilt camera flash	
	Battery and battery charger (w/ extra battery)	
	Inbuilt WiFi, Bluetooth, and NFC Connectivity	
	Storage: at least 2 x 64Gb or 1 x 128 Gb micro SDXC	
	Camera Strap, camera bag, tripod, remote control	
	With at least 1 year warranty	
OT 7:	ONE (1) LOT: Secure Vault System ABC: Php 100,000.00	1
Deliver	y period: Thirty (30) to sixty (60) calendar days y and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok Dist	rict, Davao City
	Technical Specifications:	
	recinical opecinications.	

	• Exterior: Galvanized steel walls and door; Concealed hinges and	
	recessed door type; Stainless steel handle with emergency release;	
	Watertight Fire resistant Pre-Drilled Mounting Holes & Hardware	
	Preferably with humidity and temperature sensor	
	Finish: Durable and scratch-resistant powder-coated interior and	
	exterior finish; With air vents and insulation panels	
	Size: Can fit at least A3-size documents	
	• Interior dimension: at least 40 cm depth, 80 cm height, and 30 cm width	
	• Secure locking mechanism: Key lock mechanism, Programmable	
	digital lock Override access keys Motorized locking door bolts; Fail-safe	
	lock/unlock during power outage	
	With at least 1 year warranty	
LOT 8	: ONE (1) LOT: High End Uninterruptible Power Supply (UPS) AE	BC: Php 500,000.00
Delive	ry period: Thirty (30) to sixty (60) calendar days	•
Delive		•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da	•
Delive	ry period: Thirty (30) to sixty (60) calendar days	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications:	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: Mount: Rack Phase: Single Phase	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: Mount: Rack Phase: Single Phase	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: Mount: Rack Phase: Single Phase Topology: Double conversion online	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: • Mount: Rack • Phase: Single Phase • Topology: Double conversion online • Bypass: Built-in static bypass, Internal bypass (automatic and manual),	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: • Mount: Rack • Phase: Single Phase • Topology: Double conversion online • Bypass: Built-in static bypass, Internal bypass (automatic and manual), • Optional external bypass • Smart-UPS at least 10KVA	•
Delive	ry period: Thirty (30) to sixty (60) calendar days ry and Installation: CARIM Bldg., UP Mindanao Mintal, Tugbok District, Da Technical Specifications: Mount: Rack Phase: Single Phase Topology: Double conversion online Bypass: Built-in static bypass, Internal bypass (automatic and manual), Optional external bypass	•

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

lame of Bidder	Project ID No.	Page of	f

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quan tity	Unit price EXW per item	Transportati on and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
l	LOT 1: Sixteen (16) units Workstations (Data Processing)								
1	Workstations (Data Processing) (16 Units) Technical Specifications: Operating System: Windows 10 Pro 64 bit Processor: Intel Core i9 / Intel Xeon or equivalent Graphics: 2 x reputable-brand GPU with at least 8GB DDR6 RAM w/ Tensor Processing (e.g., NVIDIA) Display: 24-27" dual screen configuration, tilt pivot swivel height adjustable (preferably dual arm) or better, LED edge light, IPS FHD at least 1920 x 1080 120Hz, anti-flicker Memory: at least 128GB RAM Storage: at least 2TB SSD + 4TB HDD Connectivity: Ethernet and Wi-Fi		16						

	Power Supply:at least 1500 Watts (gold) Inclusions: UPS (at least 1500VA) Accessories: ergonomic USB noiseless optical mouse w/ mousepad (at least 2-button w/ scroll), ergonomic USB noiseless keyboard (preferably mechanical), Headset (w/ mic) At least 1 year warranty				
	LOT 2: Six (6) units Mobile Workstations				
1	Mobile Workstations (6 units) Specifications: Operating System: Windows 10 Pro 64 bit Processor: Intel Core i7 at least 11th gen or Ryzen 9 or equivalent Graphics: reputable-brand GPU with at least 8GB DDR6X RAM w/ Tensor Processing (e.g, NVIDIA) Display: at least 15.60" 1920 x 1080 120Hz Memory: at least 32GB RAM Storage: at least 2TB SSD Inclusions: Accessories: Bag, Kensington lock, wireless noiseless optical mouse (at least 2-button with scroll) w/ mousepad, Headset (w/ mic) At least 1 year warranty	6			
	LOT 3: Seven (7) Units: Desktop Computers				
1	 Desktop Computers (3 units) Technical Specifications: Operating System: Windows 10 Pro 64-bit Processor: AMD Ryzen 5 or Intel Core i5 with integrated graphics or equivalent 	3			

Inclusio	Display: 24"" IPS LED FHD at least 1920 x 1080 60/120Hz or bigger, anti-flicker Memory: at least 16GB RAM Storage: at least 512GB SSD + 2TB HDD Connectivity: Ethernet and Wi-Fi Power Supply: at least 650 Watts (preferably gold) ons: UPS (at least 800VA) Office Suite Accessories: USB noiseless optical 2-button mouse w/ mousepad, USB keyboard, Headset (w/ mic) At least 1 year warranty	4				
	 Computers (4 units) Cal Specifications: Operating System: Windows 10 Pro 64-bit Processor: AMD Ryzen 7 or Intel Core i7 or equivalent Graphics: Reputable-brand GPU with at least 6GB RAM (e.g., Nvidia / AMD) Display: 24" IPS LED FHD at least 1920 x 1080 60/120Hz or bigger, anti-flicker Memory: at least 32GB RAM Storage: at least 512GB SSD + 2TB HDD Connectivity: Ethernet and Wi-Fi Power Supply: at least 850 Watts (preferably gold) 					
Inclusio • •	Ons: UPS (at least 1000VA) Office Suite Accessories: USB noiseless optical 2-button mouse w/ mousepad, USB keyboard, Headset (w/ mic) At least 1 year warranty					
LOT 4:	One (1) Lot: Security System (CCTV, biometric locks, etc.)		 		_	

CCTV KIT (Internet Protocol (IP) Cameras) Inclusions:	1			
port and 1 RS-485 interface Network Protocols: TCP/IP, HTTP, DHCP, DNS, DDNS, RTP, RTSP, PPPoE Image Frame Rate: 30 fps / 25 fps *Six (6) Units IP Bullet Outdoor Cameras At least 90° viewing angle Sensor at least 2 MP 1/2.5" CMOS Focal Length: 2.8mm				
 Supported Video Compression: H.264, H.264+, H.265, H.265+, MJPEG Multi-View Analytics: Motion Detection Line Crossing Detection Intrusion Detection Exception Detection IP Rating: IP67 *RJ 45 Connectors, UTP Cable CAT 6, Cables, and Related Wiring/Conduit Materials, Assemblies, and Equipment 				
* With at least 1 year warranty BIOMETRIC SYSTEM ATTENDANCE AND MAGNETIC DOOR LOCK				
Inclusions:				
BIOMETRIC SYSTEM ATTENDANCE (TCP/IP) • Fingerprint Capacity 3,000 • Card Capacity 10,000 (Optional)				

 Logs Capacity 100,000 Communication TCP/IP, USB-Host, Wi-Fi (Optional) Standard Functions Automatic Status Switch, Self-Service Query, Work Code, T9 Input, 9 Digit User ID, DST, Scheduled bell,SMS,RS232 Printer AC module 1:Exit Button, Door Lock, Alarm,12V OUT,AUX IN, With ID Card, IC Card POE, 3G/4G, Battery Module, ADMS AC module 2: Exit Button, Door Lock, Alarm,12V OUT, AUX IN, Door Sensor, RS485 Wiegand IN/OUT. MAGNETIC DOOR LOCK Inclusions: IC Card at least 30 IC cards 3 Magnetic Door Locks 1 IC card for lock 1 3 IC cards for lock 2 30 IC cards for lock 3 Exit switch Power supply With at least 1 year warranty 				
Lot 5: Projector				
Projector Technical Specifications: White Light Output (Normal/Eco): 4,000 lm Colour Light Output: 4,000 lm Digital Input: HDMI: 2 Contrast Ratio:16,000:1 Resolutions: FullHD WXGA Resolution Features: Screen Mirroring Quick Corner Laser / Lamp: 12,000 Hrs lamp life Aspect Ratio: 16:9 Inclusions: With tripod and white screen At least 1 year warranty				

LOT 6: One Lot Digital Camera with Accessories				l.	u.
Digital Camera with Accessories Technical Specifications: Type: Digital Single-lens Reflex (DSLR) Sensor: Full frame Lens Kit: 18-55mm f/4-5.6 with Lens Stabilization Wide-angle Lens: 10-18mm f/4.5-5.6 or better Macro Lens: 100mm f/2.8 with Lens Stabilization Photo: at least 24.1 megapixel or higher Video: 1080p resolution or higher Continuous Shooting: at least 5 fps ISO range: 100 - 25600 or higher Display: inbuilt liquid crystal display (LCD) touchscreen Storage: SD, SDHC, SDXC (UHS Speed Class 1 compatible)					
Inclusions: Inbuilt camera flash Battery and battery charger (w/ extra battery) Inbuilt WiFi, Bluetooth, and NFC Connectivity Storage: at least 2 x 64Gb or 1 x 128 Gb micro SDXC Camera Strap, camera bag, tripod, remote control With at least 1 year warranty					
LOT 7: One (1) Lot: Secure Vault System					

SECURE VAULT SYSTEM Technical Specifications: • Exterior: Galvanized steel walls and door; Concealed hinges and recessed door type; Stainless steel handle with emergency release; Watertight Fire resistant Pre-Drilled Mounting Holes & Hardware • Preferably with humidity and temperature sensor • Finish: Durable and scratch-resistant powder-coated interior and exterior finish; With air vents and insulation panels • Size: Can fit at least A3-size documents • Interior dimension: at least 40 cm depth, 80 cm height, and 30 cm width • Secure locking mechanism: Key lock mechanism, Programmable digital lock Override access keys Motorized locking door bolts; Fail-safe lock/unlock during power outage				
LOT 8: One (1) Lot: High-end UPS				
Technical Specifications:	1			

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	