Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Total	Delivered, Weeks/Months
LOT 1	REBIDDING OF SUPPLY & INSTALLATION OF AIR CONDITIONING UNITS (PBM 2023-20) Consisting of the following: 1. 2hp, inverter wall mounted, airconditioning unit(1 unit with electrical works) 2. 6hp, inverter floor mounted, airconditioning unit (2 units with electrical works) 3. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 4. 2hp, inverter wall mounted, airconditioning unit (2 units with electrical works) 5. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 6. 2hp, inverter wall mounted, airconditioning unit (2 units with electrical works) 7. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 8. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 9. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 9. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) 10. 2hp, inverter wall mounted, airconditioning unit (1 unit with electrical works) Warranty for all units: 1 YEAR IN PARTS AND SERVICES 3 YEARS IN POB (INDOOR & OUTDOOR)	P1,060,000.00	* GO CALEMPAR O AMS *





Bid Form for the Procurement of Goods [shall be submitted with the Bid]

BID FORM

Date: September, 2023 Project Identification No.: PBM 2023-20

To: UNIVERSITY OF THE PHILIPPINES- MINDANAO ADMINISTRATIVE BUILDING, MINTAL, DAVAO CITY

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [1], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] REBIDDING OF SUPPLY & INSTALLATION OF AIRCONDITIONING UNITS in conformity with the said PBDs for the sum of NINE HUNDRED NINETY FIVE THOUSAND ONE HUNDRED SEVENTY FIVE PESOS ONLY [words] PHP. 995, 175.00 [figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules (Form 1a or Form 1b, whichever is applicable) attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- to deliver the goods in accordance with the delivery schedule specified in the Schedule Requirements.
- to provide a performance security in the form, amount, and within the times prescribed in the PBDs;
- c. to abide by this Bid for the Bid Validity Period specified in PBDS and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agent relating to this Bid, and to contract execution if we awarded the contract are listed below;²

Name and Address	Amount and	Purpose of
Of agent	Curreny	Commission or gratuity
NONE		
NONE		
(If none, state "None")		



Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and you're Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.

We acknowledge that failure to sign each and every page of this Bid Form, Including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: ENGR. NHEL M. QUIROS

Legal capacity: OWNER/ OPERATIONS MANAGER

Signature:

Duly authorized to sign the Bid for and behalf of:

INVERTAIRE AIRCONDITIONING AND REFRIGERATION CENTER

Date: SEPTEMBER 4, 2023



Price Schedule for Goods Offered from Within the Philippines (shall be submitted with the Bid if bidder is offering goods from within the Philippines)

For Goods Offered from Within the Philippines

lame of Bidder INVENTAINE HIRCONDITIONAL AND REFRIERRATION CENTER. Project 10 No. 2023-20, Page 1 of 5

-	2	3	*	25	9	7	8	6	10
	DESCRIPTION OF ITEM	Country of Origin	AT.	Unit price per ittem	Transportation and all other costs locidental to delivery, per item	Sales and other taxes peyable if Contract is awarded, per item	Cost of Incidental Services, If applicable, per Item	Total Price, per unit (cel 5+6+7+6)	Total Price delivered Final Destination (col 6) x (col 4)
101									
-	Zhp,inverter wall mounted,airconditioning unit	MAIRYCIA	funit ?	tunit 3433-CD	000000	000	0.00	MO 59C/m	40 39Cm 40 agr 0
-	Cooling Capacity: 18,000-18,500 Blufh.	Bigono- Dolkin		1000	1		200	17,000	27 14.0
100	Power Consumption: 1,880 W.	144							
50	CSPF : 5.02	13							
tot.	DOE star rating : 5 star	MEF. LINE - 20 Ft.							
40	Single phase, 220 -230vots, 90hz	15							
1507	Current Rating: 8.25A	1							
100	Remote control. Timer Auto awing-dearing, Fast cooling & Stant mode								
141	ELECTRICAL WORKS:								
100	Thin wire 5.5mm? stranded,Circlal breaker 30A, 16(220h, boll-on		flot	00'00'0	000 0	000	830	000000	000000
-	w enclosure, pic pipe 1/2, pic clamp 1/2, alectrical tape, tox w/ screw.								_
10	(the,) inverter floor mounted, airconditioning unit	MALAKAR	Zunits	Will Im	AN ICIDEAN	400	84	174 33e	212 100
10	Cooling Capacity, 47,000-52,500 Bluft.	Bridge Dollar			1		2	NATA SA	
100	Cooling Capacity rated: 14 - 15 Shar.	MANAGE - FUTE TUDAN	141						
150	Power Consumption: 5,71 kW.	R3FF IU0Axum							
0	CSPF: 4.4	11 pt 11 00 30 to	10.11						
124	ER 257	Na 14.3	1						
LXI.	Germet Rating: 23.84 UNIX 7.	CER TW-							
utt.	1	CAPA CAPA	DAFE						
201	Discontinues Audo swing/bleaning. Fast cooling & Stern mode	Na Carlo							
UM.	PLECTRICAL WORKS:								
N U U	Jesus 8.0mm" stranded ClickA breaker 40A, 10,220v, both-on		flot	doctorion	000 0	08	8.0	40,000.00	40,000 00
13	at the factor of the 214 per clamp 34, electrical tape, for will acrew.								
64	2hp, Inverter wall mounted, alreand Honing unit	Walausin	thot	82,32Km	(C) 6,5000	2000	0.0D	44.00000	O 4C Pre-do

Price Schedule for Goods Offered from Within the Philippines (shall be submitted with the Bid if bidder is offering goods from within the Philippines)

For Goods Offered from Within the Philippines

Tame of Bidder INVERTHIRE ALLCONDITIONING AND ILEFTHIGERATION CENTER Project ID No. 2023-20, Page 2 of 5

2	3	4	5	9	7	80	6	10
Cooling Capacity, 18,000-18,500 Histo.	Marie: Dalkin							
Power Comumption: 1,880 W.	MODEL: PTKFSDOVA							
CSPF: 5.02	AKETODA							
DCE star rating : 5 star	LA LANG - INTE							
Single phase, 220 -230 votils, 60hz	1.75							
Current Rating : 8.25A								
Remote control, Timer, Auto ewing/dearing Fast cooling & Sitent mode	1							
ELECTRICAL WORKS:				T				
Thin with 5.5mm ² strunded, Circle brooker 30A, 16',230v,both-on		tlot	Opacopla.	80.0	0.00	0.00	10,000,00	10,000-00
w/ enchause, pvc pipe 1/2, pvc clamp 1/2, electrical tape, tox w/ screw.	1000							
2hp,leverter wall mounded airconditioning unit	MarausiA	2 units	39,39C.00	10.375.rb	0.0	0.00	th other	100 mars
Cooling Capacity, 18,000-18,500 Bluft,	PAGAND: DOLKIN						1000	
Power Consumption: 1.880 W.	MEDIL POACTOINE							
CSPF: 5.02	RKESTUDVA							
DOLL star rating : 5 attar OFFICE UA		*						
Single phase,220 -230volts,80tg	9	1						
Current Rading : 8,255A	12	4						
Romete control, Timer Auto swingsideaning, Fast cooling & Sient mode	5	50 72						
ELECTRICAL WORKS:								
Thirn wire 5.5mm* stranded.Circlut breaker 30A, 19, 220v, both-on		flet	20,000,a	0.00	0-0	6.0	20,000-00	23,000-0
w/ enclosure,pvc pipe 1/2,pvc clamp 1/2,electrical tape,fox w/ screw.								
Sha inverter wall mounted airconditioning unit	flat ought	tunit	39 ARGED	10 mg km	000	0.0	40 234 A	AT SACA
Modeling Capacity: 18,000-18,500 Stuff.	Palows: notified		Z. II. I. I.		20.0		77.5 13.00	1
A Maler Consumption: 1,880 W.								
2002	DK+MMA							
DOE sold-rating; 5 star	OFF LIME: 30 PM							
Marie 220 -230vots.00vz	15							
Culture Raing : 8.25A								
described. Timer Aude swing/descring. Fast cooling & Servit mode								
ELECTRICAL WORKS:								

3 of 5

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder INVERTAIRE AIRCONDITIONING AND REPLYCEKOTION (LATER. Project ID No. 2023-20, Page 3 of 5

7	m)	4	2	9	7	80	6	10
Thin wire 5.5mm* stranded, Circuit breaker 30A, 10,230h, bolt-on		tion	05-000-ch	ė	0.00	60	10,000.00	10,000-07
Nf enclosure,IMC 314*dia., Inc. wlow 344,electrical tape, bux wi survey,u- both 344,everiding roof,angle bar 1 1/2", ned oxide paint epoxy, paint brush 2", pull box 4x446,fle wire#18,locknut bushing 3/4.	A SA							
2hp,inverter wall mounted,airponditioning unit	MALAUSH	Zunits	39,53¢.00	12,625,00	0.00	0.9	S2mb.o	Mar Anna
Conting Capacity: 18,000-15,500 Bluth.	Pitatio: oakin			1		L		
Power Consumption: 1,880 W.								
CSPF: 5.02	RKATOWA							
DOE star rating : 5 star	N : 10	1						
Single phase, 220 -230vcis, 60hz.	-	SPE						
Current Rating: 8.25A	8	1400						I
Remote control, Timer Auto awingsideaming, Fast cooling & Siers mode	CUPPLY VILL	40 Pt						
ELECTRICAL WORKS:								T
Thhn wire 5.5mm² stranded Circlet breaker 30A, 19,220v, both-on		flot	20,000,00	000	0.00	6.0	50,000.05	27 (DD-60
w/ enckeure, pvz pipe 1/2, pvc clamp 1/2, electrical lape, los w/ screw,								100
2hp, inverter wall mounted, sirconditioning unit	Managin	Tunit	80.3RUB	C trus	0.00	0.00	dr pac.e	de bhc.
Cooling Capacity: 16,000-18,500 Btuh.	PROMO: DOMEN						200	300
Power Consumption: 1,880 W.	MACHET PTRETON!							T
CSPF: 5.02	RKFTODIA			Ī				
DOE star raing : 5 star	MAR IMP DET	34						T
Single phase, 220-230 volts, 60hz	AND STATE LIGHT			Ī				
Currient Rating : 8.25A								I
Application of Timer Auto weing ideaning. Fast cooling & Stient mode	34							T
CARENCAL MORKS:								Ī
Sequebre 5.5mm² stranded,Circuit breaker 30A,163,220v,both-on		That	P,000,0	e o	0.0	0.00	10,000,01	10,000,01
* Anticollar, pvc pipe 1/2, pvc clamo 1/2, electrical tape, tox will screw.	12							
Statistiverier wall mounted, aircoed filocies unit	Malaulin	freely	92.3 F. W	0 6.500.m	0.00	00	AL SHEW	U. Onc. AD
Change Capacity: 18,000-18,509 Burn.	BRATIO: DOCKIN						100 0 100	10/0/01
Power Coveranology 1 880 W.				l				I

Price Schedule for Goods Offered from Within the Philippines (shall be submitted with the Bid if bidder is offering goods from within the Philippines)

For Goods Offered from Within the Philippines

Name of Bidder WURREAIRE AIRCONNITIONS AND REFUGERCHION CONTEX. Project ID No. 2023-20, Page 4 of 5

-	CSPF 5.00		4	5	9	7	100	6	10
	Carry Carry	KALINA: DPA							
П	DOE star rating : 6 star	SUMPRY WALE: 40 PL							
	Single phase,220-230voth.Ritig				Ī				
	Current Roding: 8,25A								
	Remote control, Timer Auto swerg/cleaning Fast cooling & Stant mode								
	ELECTRICAL WORKS:								
	Thin wite 5.5mm ² stranded, Cread breaker 30A, 19,220r, both-on		flot	00-0000g	0.0	0.00	0.00	10.000.00	10,000-00
	W'endolsumpyor pipe 1/2,pvc clamp 1/2,etectrical tape,tox w'acrew,								
=	2hp.Invertor wall mounted, air conditioning unit	Malausia	Sumit	3937KBD	Como	0.00	0.0	45 orte A	45 SHE. 10
	Cooling Capacity 18,000-18,500 Blufts.	Pitano. Datikin						100	d Orel
	Power Consumption, 1,880 W.	160							
0	CSPF: 5.02	RKFMDVA							
	DOE star rating : 5 star	REF LINE DAY							
	Single phase 220-230volts,60kg	100			Ī				
	Current Rating : 8.25A								
	Remote control, Timer, Auto swing/deaning, Fast cooling & Sient mode				Ī				
	ELECTRICAL WORKS:				Ī				
	Thim wire 5.5mm ³ stranded Circlut breaker 30A, 10, 220v, boll-on		flot	(DODG)	040	0.00	0.40	In Man &	10.080-A
	w enclosure pvo pipe 1/2 pvc clamp 1/2 electrical tape, for w/ ecnes.				Ī				
2	2hp,inverter wall mounted,alroanditioning unit	Malausia	funit	MARKE SOL	GATED BY	VWV	0.00	AL ODE A	ער טטב ש
	Cooling Capacity: 18,000-18,500 Btuft.	Branto: DOLKIM						200	1
.0	Resent Contamption, 1,880 W.	INDIAN FINCEDOVA							
ΝX	CSDF: 5.02	RKESTONA							
94	COCE stor rating : 6 star	MEP. LIME . TOPE.							
ψ	Cargo phase,220 -230votts,60tg	CURPLY LINE: ANTI-			Ī				
111	Carrent Quiling: 8.25A								
954	State on that Timer Auto wire protesting. Fast cooling & Sheet mode								
"	ELEGINICAL WORKS:								
	Thin airs 5.5mm* stranded, Circut breaker 30A, 10, 220v, both-on		Tiot	IN MONTH	200	A Am	10.9	Inner of 10 cell on	W Can In

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

lame of Bidder | NUERTAIR FIREMONTHING AND AFFIGERATION (WITCH Project ID No. 2023-20 Page Tot S



