Standard Form Number: SF-GOOD-58

Revised May 24, 2004

## **PURCHASE ORDER**

## <u>University of the Philippines Mindanao</u> Agency/Procuring Entity

Supplier	BETTER COMPONENTS, INC.		P.O No. 2015-09-849			
	•		Date 2 September 2015 Mode of Procurement: Public Bidding PR No. 2015-0315; PR 2015-0323			
Gentlen			•,•			
Dolivom		urnish this office the following articles subject to the terms and condi- le: 30 calendar days from receipt of Purchase Order	itions conta	ined herein.		
Denvery	Schedu	le. 30 calendar days from receipt of Furchase Order	<u> </u>			
Stock No	Unit	Description	Qty.	Unit Cost	Amount (Php)	
	lot	DSPPA Paging System consisting of the following:	1	79,500.00	79,500.00	
		DSPPA MP9012 Mixing Amplifier - 1 Unit				
		DSPPA DSP6061 Wall Speaker - 12 Units				
		Miscellaneous (speaker wire and connectors)-1 Lot				
		Installation - 1 Lot				
	lot	CCTV System consisting of the following:	1	133,100.00	133,100.00	
		Joyvision 16CH H264 HD DVR -1 Unit				
		Joyvision BO-1122 HD CCTV Camera - 8 Units				
		Joyvision BO-3102 HD CCTV Camera - 8 Units				
		2TB Hard Disk (25 days recording) - 1 Unit				
		Water Proof Adaptor 12V 2A - 16 Units				
		Video Balun - 32 Units				
		TCL 32" LED Monitor - 1 Unit				
		200 Meters UTP Cable				
		Instasllation - 1 Lot				
	unit	Garmin Montana 650 GPS	1	43,400.00	43,400.00	
		All other specifications not stated herein but included in the bid submitted and/or the bid documents are part of this agreement.				
	TOTAL: Two hundred fifty-six thousand pesos only				256,000.00	
In cas	se of failt	are to make the full delivery within the time specified above, a penalt	y of one-te	nth (1/10) of		
one perce	ne percent (1%) for every day of delay shall be imposed.					
	Very truly yours,				_	
	C . C		Duct CV	MMC CON	4.1	
	Conforme: Prof. SYLVIA B. CON Chancellor				Sur F	
		Signature over printed name of supplier	<u> </u>			
	Funds Available:			BURS/OBr Number: 10115-090 435		
		スタイルグへ りいいく ZENAIDA G. CALATRAVA, CPA Chief, Accounting Office	Amount			
		. <del>-</del>				